

BEACONSFIELD KINDERGARTEN INC.

DIABETES POLICY

Mandatory – Quality Area 2

PURPOSE

To ensure that enrolled children with type 1 diabetes and their families are supported, while children are being educated and cared for by the service.

This *Diabetes Policy* should be read in conjunction with the *Dealing with Medical Conditions Policy* of Beaconsfield Kindergarten.

POLICY STATEMENT

VALUES

Beaconsfield Kindergarten Inc. believes in ensuring the safety and wellbeing of children who are diagnosed with diabetes, and is committed to:

- providing a safe and healthy environment in which children can participate fully in all aspects of the program
- actively involving the parents/guardians of each child diagnosed with diabetes in assessing risks, and developing a risk minimisation plan for their child
- ensuring that all staff members and other adults at the service have adequate knowledge of diabetes and procedures to be followed in the event of a diabetes-related emergency
- facilitating ongoing communication between the service and family to ensure the safety and wellbeing of children diagnosed with diabetes.

SCOPE

This policy applies to the Approved Provider, Persons with Management or Control, Nominated Supervisors, Persons in day-to-day Charge, educators, staff, students on placement, volunteers, parents/guardians, children and others attending the programs and activities of Beaconsfield Kindergarten Inc., including during offsite excursions and activities.

RESPONSIBILITIES

RESPONSIBILITIES	Approved provider and persons with management or control	Nominated supervisor and persons in day-to-day charge	Early childhood teachers	Educators and all other staff	Families	Contractors, volunteers and students
	R indicates legislation requirement, and should not be deleted					

Ensuring that a <i>Diabetes Policy</i> is developed, implemented and complied with by all staff, families, students and volunteers by at Beaconsfield Kindergarten (<i>Regulation 90</i>)	R	√	√	√	√	√
Ensuring that at least one ECT/educator with current approved first aid qualifications (<i>refer to Definitions</i>) is in attendance and immediately available at all times that children are being educated and cared for by the service (<i>Regulation 136(1) (a)</i>). This can be the same person who has anaphylaxis management training and emergency asthma management training	R	√				
Ensuring that the nominated supervisor, early childhood teachers, educators, staff, families of children living with diabetes, students and volunteers at the service are provided with a copy of the <i>Diabetes Policy</i> , including the section on management strategies (<i>refer to Attachment 1</i>), and the <i>Dealing with Medical Conditions Policy</i> (<i>Regulation 91</i>)	R	√	√	√	√	√
Ensuring that all staff members and volunteers can identify any child living with diabetes, the child's medical management plan and the location of the child's medication are developed and implemented (<i>Regulation 90</i>). At Beaconsfield Kindergarten, medication and medical management plans are kept with the Allergy Buddy	R	√	√	√		√
Ensuring that the programs delivered at the service are inclusive of children living with type 1 diabetes (<i>refer to Inclusion and Equity Policy</i>), and can participate in all activities safely and to their full potential	R	√	√	√		√
Ensuring that the nominated supervisor, staff and volunteers at the service are aware of and have discussed the child's diabetes action and management plan. This plan details the strategies to be implemented for the child's diabetes management at the service (<i>refer to Attachment 1</i>)	R	√	√	√		√
Following and implementing the diabetes management strategies detailed on the child's diabetes action and management plan while at the service (<i>refer to Attachment 1</i>)		√	√	√		√
Administering medications as required, in accordance with the procedures outlined in the <i>Administration of Medication Policy</i> (<i>Regulation 93</i>)	R	R	√	√		
Ensuring that staff have access to appropriate professional development opportunities and are adequately resourced to work effectively with children living with type 1 diabetes and their families	√	√	√	√	√	√
Compiling a list of children (including their photograph) living with type 1 diabetes and placing it in a secure but readily accessible location known to all staff. This should include the diabetes action and management plan for each child. At Beaconsfield Kindergarten, this is displayed in the kitchen, and medical management plans are kept with medication and in the enrolment folder	R	√	√	√	√	√
Ensuring that each enrolled child who is diagnosed with diabetes has a current diabetes action and management plan prepared specifically for that child by their diabetes medical	R	√	√		√	

specialist team, at enrolment or prior to commencement and that it is signed by all relevant parties (<i>Regulation 90</i>)						
Ensuring that the nominated supervisor, early childhood teacher, educators, staff, students, volunteers and others at the service follow the child's diabetes action and management plan in the event of an incident at the service relating to their diabetes	R	√	√	√		√
Ensuring that a risk minimisation plan is developed for each enrolled child living with type 1 diabetes in consultation with the child's families, in accordance with <i>Regulation 90(iii)</i>	R	√	√		√	
Ensuring that a communication plan is developed for staff and families at enrolment in accordance with <i>Regulation 90(iv)</i> , and encouraging ongoing communication between families and staff regarding the management of the child's medical condition	R	√	√	√	√	
Communicating daily with families regarding the management of their child's diabetes		√	√	√	√	
Ensuring that families provide the service with any equipment, medication or treatment, as specified in the child's individual diabetes action and management plan.	R	√	√		√	
Ensuring that programmed activities and experiences take into consideration the individual needs of all children, including children living with type 1 diabetes		√	√	√		√
Ensuring that children living with type 1 diabetes are not discriminated against in any way and are able to participate fully in all programs and activities at the service	R	√	√	√		√
Following appropriate reporting procedures set out in the <i>Incident, Injury, Trauma and Illness Policy</i> in the event that a child is ill or is involved in a medical emergency or an incident at the service that results in injury or trauma (<i>Regulation 86</i>).	R	√	√	√		√

BACKGROUND AND LEGISLATION

Background

Services that are subject to the National Quality Framework must have a policy for managing medical conditions in accordance with the *Education and Care Services National Law Act 2010* and the *Education and Care Services National Regulations 2011*. This policy must define practices in relation to:

- the management of medical conditions, including administration of prescribed medications
- procedures requiring parents/guardians to provide a medical management plan if an enrolled child has a relevant medical condition (including diabetes)
- development of a risk minimisation plan in consultation with a child's parents/guardians
- development of a communication plan for staff members and parents/guardians.

Diabetes is considered a disability under the [Disability Standards for Education 2005 \(Cth\)](#) and the [Equal Opportunity Act 2010 \(Vic\)](#).

Staff members and volunteers must be informed about the practices to be followed in the management of specific medical conditions at the service. Parents/guardians of an enrolled child with a specific health care need, allergy or other relevant medical condition must be provided with a copy of

the *Dealing with Medical Conditions Policy* (in addition to any other relevant service policies). The *Education and Care Services National Regulations 2011* states that an Approved Provider must ensure that at least one educator with current approved first aid qualifications is in attendance and immediately available at all times that children are being educated and cared for by the service.

Services must ensure that each child with pre-existing type 1 diabetes has a current diabetes action and management plan prepared specifically for that child by their diabetes medical specialist team at or prior to enrolment, and must implement strategies to assist children with type 1 diabetes. A child's diabetes action and management plan provides staff members with all required information about that child's diabetes care needs while attending the service.

The following lists key points to assist service staff to support children with type 1 diabetes.

- Follow the service's *Dealing with Medical Conditions Policy* (and this *Diabetes Policy*) and procedures for medical emergencies involving children with type 1 diabetes.
- Parents/guardians should notify the service immediately about any changes to the child's individual diabetes action and management plan.
- The child's diabetes medical specialist team may include an endocrinologist, diabetes nurse educator and other allied health professionals. This team will provide parents/guardians with a diabetes action and management plan to supply to the service. Examples can be found [here](#).
- Contact Diabetes Australia – Vic for further support, information and professional development sessions.

Most children with type 1 diabetes can enjoy and participate in service programs and activities to their full potential, but are likely to require additional support from service staff to manage their diabetes. While attendance at the service should not be an issue for children with type 1 diabetes, they may require time away to attend medical appointments.

Legislation and standards

Relevant legislation and standards include but are not limited to:

- *Education and Care Services National Law Act 2010*:
- *Education and Care Services National Regulations 2011*
- *Health Records Act 2001* (Vic)
- *National Quality Standard*, including Quality Area 2: Children's Health and Safety
- *Occupational Health and Safety Act 2004* (Vic), as amended 2007
- *Privacy Act 1988* (Cth)
- *Privacy and Data Protection Act 2014* (Vic)
- *Public Health and Wellbeing Act 2008*
- *Public Health and Wellbeing Regulations 2009* (Vic)

The most current amendments to listed legislation can be found at:

- Victorian Legislation – Victorian Law Today: <http://www.legislation.vic.gov.au/>
- Commonwealth Legislation – ComLaw: <http://www.comlaw.gov.au/>

DEFINITIONS

The terms defined in this section relate specifically to this policy. For commonly used terms e.g. Approved Provider, Nominated Supervisor, Regulatory Authority etc. refer to the *General Definitions* section of this manual.

The terms defined below have been reviewed in comparison with their definition as per the Diabetes Australia website. To find more information or an updated definition of the below terms please refer to the [Diabetes Australia](#) website.

Type 1 diabetes: An autoimmune condition that occurs when the immune system damages the insulin producing cells in the pancreas. Type 1 diabetes is treated with insulin replacement via injections or a continuous infusion of insulin via a pump. Type 1 diabetes is not linked to modifiable lifestyle factors. Currently there is no cure nor can it be prevented. Type 1 diabetes can be life threatening. For more information about type 1 diabetes visit: [Type 1 diabetes - Diabetes Australia](#)

Type 2 diabetes: Type 2 diabetes in children is a chronic disease that affects the way the child's body processes sugar (glucose) for fuel. Type 2 diabetes occurs more commonly in adults. For more information about type 2 diabetes visit: [Type 2 Diabetes - Diabetes Australia](#)

Hypoglycaemia or hypo (low blood glucose): Hypoglycaemia refers to having a blood glucose level that is lower than normal i.e. below 4 mmol/L, even if there are no symptoms. Neurological symptoms can occur at blood glucose levels below 4 mmol/L and can include sweating, tremors, headache, pallor, poor co-ordination and mood changes. Hypoglycaemia can also impair concentration, behaviour and attention, and symptoms can include a vague manner and slurred speech.

Hypoglycaemia is often referred to as a 'hypo'. Common causes include but are not limited to:

- taking too much insulin
- delaying a meal
- consuming an insufficient quantity of carbohydrates at a meal
- undertaking unplanned or unusual exercise
- illness.

It is important to treat hypoglycaemia promptly and appropriately to prevent the blood glucose level from falling even lower, as very low levels can lead to loss of consciousness and possibly convulsions. Never leave a child alone during a hypo episode.

The child's diabetes management plan will provide specific guidance for services in preventing and treating a hypo. For more information visit [Hypoglycaemia - Diabetes Australia](#)

Hyperglycaemia (high blood glucose): Hyperglycaemia occurs when the blood glucose level rises above 15 mmol/L. Hyperglycaemia symptoms can include increased thirst, tiredness, irritability and extra toilet visits, affect thinking, concentration, memory, problem-solving and reasoning. Common causes include but are not limited to:

- taking insufficient insulin or missed insulin dose
- eating more carbohydrates than planned
- common illnesses or infections such as a cold
- excitement or stress.

The child's diabetes action and management plan will provide specific guidance in preventing and treating a high glucose level (hyperglycaemia). For more information visit [Hyperglycaemia - Diabetes Australia](#)

Insulin: Medication prescribed and administered by injection or continuously by a pump device to lower the blood glucose level. In the body, insulin allows glucose from food (carbohydrates) to be used as energy, and is essential for life. For more information visit [Insulin - Diabetes Australia](#)

Blood glucose meter: A compact device used to check a small blood drop sample to determine the blood glucose level.

Continuous Glucose Monitor: Continuous Glucose Monitoring (CGM) is a means of measuring glucose levels continuously, in contrast to a blood glucose meter that measures a single point in time. A Continuous Glucose Monitoring System sensor is inserted into the skin separately to the insulin pump, and measures the level of glucose in the interstitial fluid (fluid in the tissue).

The sensor continuously sends real-time glucose readings wirelessly to a receiver (the insulin pump, a smart phone or dedicated device) so the user can view the information. The CGM receiver and/or compatible smart device can usually be set to send custom alerts to the user when certain glucose thresholds are reached or if levels are changing rapidly, reducing or eliminating the need for blood glucose finger prick tests and enabling early intervention to prevent the person becoming 'hypo' or 'hyper'. Children in Australia with type 1 diabetes have free access to CGM technology.

Flash Glucose Monitor: Flash Glucose Monitoring (FGM) uses a sensor attached to the skin, much like a continuous glucose monitor, to measure glucose levels without finger pricks. In contrast to CGM, the FGM sensor will not continuously send readings to a device. The reader (certain blood glucose monitors and smart phones) is scanned over the sensor to obtain the data.

Insulin pump: An insulin pump is a small battery-operated electronic device that holds a reservoir of insulin. It is about the size of a mobile phone and is worn 24 hours a day. The pump is programmed to deliver insulin into the body through thin plastic tubing known as the infusion set or giving set. The pump is worn outside the body, in a pouch or on your belt. The infusion set has a fine needle or flexible cannula that is inserted just below the skin where it stays in place.

Ketoacidosis: Ketoacidosis is related to hyperglycaemia. It is a serious condition associated with illness or very high blood glucose levels in type 1 diabetes. It develops gradually over hours or days. It is a sign of insufficient insulin. High levels of ketones can make children very sick. Extra insulin is required (given to children by families) when ketone levels are >0.6 mmol/L if insulin is delivered via a pump, or >1.0 mmol/L if on injected insulin.

Symptoms of ketoacidosis may include high blood glucose levels and moderate to heavy ketones in the urine with rapid breathing, flushed cheeks, abdominal pain, sweet acetone (similar to paint thinner or nail polish remover) smell on the breath, vomiting and/or dehydration.

This is a serious medical emergency and can be life threatening if not treated properly. If the symptoms are present, contact a doctor or call an ambulance immediately. For more information visit [Ketoacidosis - Diabetes Australia](#).

SOURCES AND RELATED POLICIES

Sources

- Caring for Diabetes in Children and Adolescents, Royal Children's Hospital Melbourne: <http://www.rch.org.au/diabetesmanual/>
- Diabetes in Schools <https://www.diabetesinschools.com.au/training-and-support/>
 - Can provide level 1 and 2 online training for early childhood staff
- Diabetes Victoria, multiple resources available to download here: www.diabetesvic.org.au/resources
 - Information about professional learning for teachers (i.e. *Diabetes in Schools* one day seminars for teachers and early childhood staff), sample management plans and online resources.
- Diabetes Victoria, Professional development program for schools and early childhood settings: https://www.diabetesvic.org.au/how-we-help-detail?tags=Left-Mega-Nav%2FSchools&content_id=a1R9000000HsgqyEAB&bdc=1
 - Examples of current action and management plans can be found [here](#).

Related policies

- *Administration of First Aid Policy*

- *Administration of Medication Policy*
 - *Child Safe Environment Policy*
 - *Dealing with Medical Conditions Policy*
 - *Enrolment and Orientation Policy*
 - *Excursions and Service Events Policy*
 - *Hygiene Policy*
 - *Incident, Injury, Trauma and Illness Policy*
 - *Inclusion and Equity Policy*
 - *Nutrition, Oral Health and Active Play Policy*
 - *Occupational Health and Safety Policy*
 - *Privacy and Confidentiality Policy*
 - *Supervision of Children Policy*
-

EVALUATION

In order to assess whether the values and purposes of the policy have been achieved, the Approved Provider will:

- selectively audit enrolment checklists (for example, annually) to ensure that documentation is current and complete
 - regularly seek feedback from everyone affected by the policy regarding its effectiveness
 - monitor the implementation, compliance, complaints and incidents in relation to this policy
 - keep the policy up to date with current legislation, research, policy and best practice
 - revise the policy and procedures as part of the service's policy review cycle, or following a hypo emergency at the service, to identify any changes required
 - notify all stakeholders affected by this policy at least 14 days before making any significant changes to this policy or its procedures, unless a lesser period is necessary due to risk (*Regulation 172 (2)*).
-

ATTACHMENTS

- Attachment 1: Strategies for the management of diabetes in children at the service
 - Attachment 2: Beaconsfield Kindergarten Risk Minimisation & Communication Plan template
-

AUTHORISATION

This policy was adopted by the Approved Provider of Beaconsfield Kindergarten Inc. on 17th March, 2014.

REVIEW DATE: 22/07/2024

REVIEW FREQUENCY: Two-yearly

NEXT REVIEW DUE: July 2026

ATTACHMENT 1

Strategies for the management of diabetes in children at the service

Strategy	Action
Monitoring of blood glucose (BG) levels	<ul style="list-style-type: none"> • Checking of blood glucose (BG) levels is performed using either a fingerprick blood glucose monitor, continuous glucose monitoring or a flash glucose monitor (refer to <i>Definitions</i>). The child's diabetes action and management plan should state the times that glucose levels should be checked, the method of relaying information to parents/guardians about glucose levels and any intervention required if the glucose level is found to be below or above the child's target glucose range. A communication book can be used to provide information about the child's glucose levels between parents/guardians and the service at the end of each session. • Children will need assistance with checking their glucose levels and if required to do a fingerprick blood glucose check. • Parents/guardians should be asked to teach service staff about glucose checking procedures. • Parents/guardians are responsible for supplying the equipment necessary for conducting blood glucose tests for use by their child while at the service.
Managing hypoglycaemia (hypos)	<ul style="list-style-type: none"> • Hypos or suspected hypos should be recognised and treated promptly, according to the instructions provided in the child's diabetes action and management plan. • Parents/guardians are responsible for providing the service with oral hypoglycaemia treatment (hypo food) for their child in an appropriately labelled container. • This hypo container must be securely stored and readily accessible to all staff.
Administering insulin	<ul style="list-style-type: none"> • Administration of insulin during service hours may be required; this will be specified in the child's diabetes action and management plan. • As a guide, insulin for service-aged children is commonly administered via: <ul style="list-style-type: none"> – twice daily injections: before breakfast and dinner at home – multiple daily injections: either before meals or other specified times as indicated on the child's diabetes management plan – by a small insulin pump worn by the child. <p>If insulin is required to be administered by staff, it is recommended they receive skills-based training from the child's diabetes treatment team.</p>
Managing ketones	<ul style="list-style-type: none"> • Fingerprick blood ketone checking may be required when their blood glucose level is >15.0 mmol/L. • Refer to the child's diabetes action and management plan.
Off-site excursions and activities	<ul style="list-style-type: none"> • With good planning, children should be able to participate fully in all service activities, including attending excursions. • The child's diabetes action and management plan should be reviewed prior to an excursion, with additional advice provided by the child's parents/guardians, as required.

Infection control	<ul style="list-style-type: none"> • Infection control procedures must be developed and followed. Infection control measures include being informed about ways to prevent infection and cross-infection. When checking fingerprick blood glucose levels, ensure the child's hands are washed and dried prior to checking. • Ensure staff conducting fingerprick blood glucose level checks: <ul style="list-style-type: none"> • wear disposable gloves • use the child's own lancet device • ensure it is stored safely so it cannot be used by other children; if more than one child living with type 1 diabetes is at the service, never share lancet devices • do not remove the lancet from the device • safely dispose of all medical waste. • If insulin injections are administered at the service, staff should be instructed on the safe removal of the pen needle (without manually handling it) by the child's diabetes treating team, to avoid a possible needlestick injury.
Timing meals	<ul style="list-style-type: none"> • Most meal requirements will fit into regular service routines. • Children with diabetes require extra supervision at meal and snack times to ensure that they eat all their carbohydrates. If an activity is running overtime, children with diabetes <u>cannot have delayed meal times. Missed or delayed carbohydrate is likely to induce hypoglycaemia (hypo).</u>
Physical activity	<ul style="list-style-type: none"> • Some children living with diabetes may require carbohydrate food before planned extra physical activity. Their diabetes management plan will provide specific guidance. • Refer to the child's diabetes action and management plan for specific requirements in relation to physical activity.
Participation in special events	<ul style="list-style-type: none"> • The service should seek families' advice regarding foods for special events, such as parties.
Communicating with parents	<ul style="list-style-type: none"> • Services should communicate directly and regularly with parents/guardians to ensure that their child's individual diabetes action and management plan is current. • Services should establish a mutually agreeable home-to-service means of communication to relay health information and any health changes or concerns. • Setting up a communication book is recommended and, where appropriate, make use of emails and/or text messaging.

ATTACHMENT 2



BEACONSFIELD KINDERGARTEN RISK MINIMISATION & COMMUNICATION PLAN FOR CHILDREN WITH [DIABETES](#)

Child's name: (photo)	Medical Condition/Allergy/Dietary Restriction: Type 1 Diabetes
Date of Birth:	Group:
Educator Name (completing plan): Signed:	Parent/Guardian's Name: Signed:
Medical Management Plan Attached: Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Parent consent to display the child's medical information Yes <input type="checkbox"/> No <input type="checkbox"/> Date new plan is due:	Medication Supplied to the service as per Medical Management Plan: Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Date Supplied: Medication Expiry Date: Medications no longer required/expired: Date returned:
Doctor's name: Doctor's Number:	Parent Contact Name & Number: Parent Contact Name & Number:

Allergen/risk descriptor	Existing controls	Rating			Treatment
		Effectiveness of existing controls	Risk Consequences	Risk Likelihood	
<p><i>Describe the risk event, situation or issue. The cause & consequence, including likely symptoms</i></p> <p><i>Example: strawberries leads to slight rash</i></p> <p>Add or delete relevant information for individual children</p>	<p><i>Describe any existing policy, procedure, practice or device that acts to minimise a particular risk. What is being done/can be done</i></p> <p><i>Example: "Nutrition Policy"</i></p> <p><i>No food sharing practice</i></p>	<ul style="list-style-type: none"> • Satisfactory • Poor • Unknown 	<ul style="list-style-type: none"> • Major • Moderate • Minor • Insignificant 	<ul style="list-style-type: none"> • Highly likely • Likely • Unlikely • Rare 	<p><i>For those risks requiring treatment in addition to existing controls</i></p> <p>Who/what/when</p> <p><i>Example: Call parents</i></p> <p><i>Eliminate food causing allergy</i></p> <p><i>Administer medication if applicable</i></p>
<p><i>Please see template provided in Dropbox Policies & Procedures/Medical</i></p>					

Do relevant people know what action to take if a child has a diabetic episode?

Know what each child's diabetes action and management plan contains and implement the procedures.

Know:

who will administer the insulin/carbohydrates and stay with the child: _____

who will telephone the ambulance and the parents/guardians of the child: _____

who will ensure the supervision of other children at the service: _____

who will let the ambulance officers into the service and take them to the child: _____

Ensure all staff have undertaken approved diabetes management training and participate in regular practise sessions.

Further Notes